


Toolholding made fast, safe and easy

The clamping unit PGU 9500 has been awarded the Red Dot design award for industrial design, highlighting the good usability and outstanding design of the machine.




reddot award
honourable mention industrial design


Key advantages



Clamp the tool safely and securely by pushing just one button. The clamping will take 8 seconds, without the use of heat.



Clamp tools with maximum clamping force and best runout in the powRgrip® collet and toolholder.



Smart System – no setting of parameters required. Clamping pressure is controlled by the insertion of the respective clamping insert (APG). There are five clamping inserts (APG) available for the clamping of different collet sizes.

Automatic clamping unit PGU 9500

Clamping inserts APG's for PGU 9500

PGU 9500

APG

Type	Part no.	Dimensions W x D x H [mm]	Weight [kg]	V / Hz
PGU 9500				
PGU 9500 E	7610.95000	555 x 454 x 648	87	Europe 230V / 50Hz
PGU 9500 A	7610.95100	555 x 454 x 648	91	USA 115V / 60Hz
PGU 9500 J	7610.95200	555 x 454 x 648	91	Japan 100V / 50-60Hz


Clamping inserts APG not included

Type	Part no.	Dimensions W x D x H [mm]	Weight [kg]	Use for
Clamping inserts APG (incl. TKCP and CPS)				
APG 906*	7611.06900	100 x 95 x 80	3	PG 6
APG 910	7611.10900	100 x 95 x 80	3	PG 10
APG 915	7611.15900	100 x 95 x 80	3	PG 15
APG 925	7611.25900	100 x 95 x 80	3	PG 25
APG 932	7611.32900	100 x 95 x 80	3	PG 32


*APG 906 is only suited for PGU 9006 and 9500. All other APG's can be used for PGU 9000/9006/9500



PGU 9500



APG (closed)



APG (opened)

Manual clamping unit PGC 2506

Clamping inserts APC's for PGC 2506

PGC

APC

Type	Part no.	Dimensions W x D x H [mm]	Weight [kg]
PGC			
SET PGC 2506	7621.25069	578 x 420 x 43	18.2


Includes clamping unit, hand pump and stand. APC not included

Type	Part no.	Dimensions Ø [mm]	Weight [kg]	Use for
Clamping inserts APC (incl. TKCP and CPS)				
APC 6	7622.06000	30 x 60	0.8	PG 6
APC 10	7622.10000	30 x 60	0.8	PG 10
APC 15	7622.15000	30 x 60	0.8	PG 15
APC 25	7622.25000	30 x 60	0.8	PG 25

**APC 6 is only suited for SET PGC 2506. All other APC's can be used for SET PGC 2506 and 2510*



PGC 2506



APC

REGO-FIX

REGO-FIX BELGIUM
VAN CUTSEM TOOLS BV
 Verkoop - technisch advies - voorraadcenter (België)

Kmo-zone Doornpark 19
 9120 BEVEREN-WAAS, BELGIUM
 Tel: +32 (0)776 84 92

Uw Rego-Fix adviseur:
 Anthony Van Cutsem
 Tel: +32 (0)495 52 60 03